, PCB terminals, Socket, 6.0 mm, 2-pole, DC Plug/Socket



See below: Approvals and Compliances

Stock-Check, Detailed request for product

Weblinks

Description

- PCB :

- Drop-in type , rear-side
- Low Voltage DC Plug and Socket
- DC Plug: 2-pole , straight

Allowable Operation Tempe-	-20°C to 70°C
rature	
Terminal	PCB terminals tin-plated
Mounting	Drop-in type
Style	straight
Lifetime	5000 Insertions

pdf data sheet, html datasheet, General Product Information, Distributor-

Technical Data

Diameter	6.0 mm / 2.0 mm		
Number of Poles	2-pole		
Ratings DC	2.0A / 12VDC		
Dielectric Strength	500 VDC		
Insulation Resistance	> 100 MΩ @ 500 VDC		

Approvals and Compliances

Detailed information on product approvals, code requirements, usage instructions and detailed test conditions can be looked up in Details about Approvals


SCHURTER products are designed for use in industrial environments. They have approvals from independent testing bodies according to national and international standards. Products with specific characteristics and requirements such as required in the automotive sector according to IATF 16949, medical technology according to ISO 13485 or in the aerospace industry can be offered exclusively with customer-specific, individual agreements by SCHURTER.

Compliances

The product complies with following Guide Lines


	0		
Identification	Details	Initiator	Description
	RoHS	SCHURTER AG	Directive RoHS 2011/65/EU, Amendment (EU) 2015/863
5 0	China RoHS	SCHURTER AG	The law SJ / T 11363-2006 (China RoHS) has been in force since 1 March 2007. It is similar to the EU directive RoHS.
REACH	REACH	SCHURTER AG	On 1 June 2007, Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorization and Restriction of Chemicals 1 (abbreviated as "REACH") entered into force.


Dimensions [mm]



4840.2201

Diagrams





Product group	Diameter [mm]	Number of Poles	Terminal	Order Number
DC Plug/Socket	6.0	2-pole	PCB terminals	4840.2201
distributors				

Category / Description

11111 ma

DC Plugs / Sockets Overview complete

, solder terminal, Plug, 5.5 mm, 2-pole, DC Plug/Socket	4840.1200
, Cable, Plug, 5.5 mm, 2-pole, DC Plug/Socket	4840.5200
, Cable, Plug, 5.5 mm, 2-pole, DC Plug/Socket	4840.5201

The specifications, descriptions and illustrations indicated in this document are based on current information. All content is subject to modifications and amendments. Information furnished is believed to be accurate and reliable. However, users should independently evaluate the suitability and test each product selected for their own applications.